

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16123	(370/351,389,392,365.1,395.6,395.3,395.43).CCLS.	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/04/23 15:55
L2	15691	determin\$3 near6 (ATM or AAL or AAL2 or AAL5 or cell near2 type)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L3	393	L2 and L1	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L4	570	(parallel near5 (process\$3 or modul\$3 or operat\$3)) and (ATM. u/c. or asynchronous transfer mode) same (real time or realtime or on the fly)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L5	112	L4 and ((segmentation near reassembly) or SAR.u/c.)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55

L6	31	L5 and (AAL2 and AAL5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L7	184	((segmentation near reassembly) or (SAR.u/c.)) same (real time or realtime or on the fly) and (process\$3 with (parallel or simultaneous\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L8	138	L7 not (synthetic aperture radar)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L9	37	L8 and (SAR.u/c. or (segmentation near reassembly)) with (real time or realtime or on the fly)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L10	34	L9 and (buffer or FIFO.u/c. or cache or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L11	1	(SAR.u/c. or (segmentation near reassembly)) same (real time or realtime) same ((parallel near5 (process\$3)) or simultaneous \$2) same (AAL2 same AAL5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55

L12	2	(SAR.u/c. or (segmentation near reassembly)) same (real time or realtime) same ((parallel near5 (process\$3)) or simultaneous \$2) and (AAL2 same AAL5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L13	21	(SAR.u/c. or (segmentation near reassembly)) same (real time or realtime) and ((parallel or simultaneous\$2) near3 (process\$3 or reassemb\$3)) and (AAL2 same AAL5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L14	15691	determin\$3 near6 (ATM or AAL or AAL2 or AAL5 or cell near2 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L15	0	L14 and (segement\$5 near reassemb\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L16	2355	L14 and (asynchronous transfer mode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L17	735	L16 and (adaptation layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55

L18	117	L17 and (AAL2 or AAL-2) and (AAL5 or AAL-5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L19	3	(determin\$3 near10 (cell near3 type)) and (segmentation near2 reassembly) and (asynchronous transfer mode) and (AAL2 or AAL-2) and (AAL5 or AAL-5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L20	5	(determin\$3 near10 (cell near3 type)) and (asynchronous transfer mode) and (AAL2 or AAL-2) and (AAL5 or AAL-5) and (assembl\$3 or reassembl\$3) near10 (cell\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L21	3	(determin\$3 near10 (cell near3 type)) and (asynchronous transfer mode) and (AAL2 or AAL-2) and (AAL5 or AAL-5) and (SAR.w/c.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L22	3	(assembl\$3 or reassembl\$3) near10 (AAL2 or AAL-2) and (AAL5 or AAL-5) near10 (realtime or real time or on the fly or instantly or instantaneous\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L23	16123	(370/351,389,392,365.1,395.6,395.3,395.43).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/04/23 15:55

L24	570	((parallel near5 (process\$3 or modul\$3 or operat\$3)) and (ATM.u/c. or asynchronous transfer mode) same (real time or realtime or on the fly)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L25	112	L24 and ((segmentation near reassembly) or SAR.u/c.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L26	31	L25 and (AAL2 and AAL5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L27	184	((segmentation near reassembly) or (SAR.u/c.)) same (real time or realtime or on the fly) and (process\$3 with (parallel or simultaneous\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L28	138	L27 not (synthetic aperture radar)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L29	37	L28 and (SAR.u/c. or (segmentation near reassembly)) with (real time or realtime or on the fly)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55

L30	34	L29 and (buffer or FIFO.u/c. or cache or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L31	1	(SAR.u/c. or (segmentation near reassembly)) same (real time or realtime) same ((parallel near5 (process\$3)) or simultaneous \$2) same (AAL2 same AAL5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L32	2	(SAR.u/c. or (segmentation near reassembly)) same (real time or realtime) same ((parallel near5 (process\$3)) or simultaneous \$2) and (AAL2 same AAL5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L33	21	(SAR.u/c. or (segmentation near reassembly)) same (real time or realtime) and ((parallel or simultaneous\$2) near3 (process\$3 or reassembl\$3)) and (AAL2 same AAL5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L34	15691	determin\$3 near6 (ATM or AAL or AAL2 or AAL5 or cell near2 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L35	0	L34 and (segement\$5 near reassembl\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55

L36	2355	L34 and (asynchronous transfer mode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L37	735	L36 and (adaptation layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L38	117	L37 and (AAL2 or AAL-2) and (AAL5 or AAL-5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L39	3	(determin\$3 near10 (cell near3 type)) and (segmentation near2 reassembly) and (asynchronous transfer mode) and (AAL2 or AAL-2) and (AAL5 or AAL-5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L40	5	(determin\$3 near10 (cell near3 type)) and (asynchronous transfer mode) and (AAL2 or AAL-2) and (AAL5 or AAL-5) and (assembl\$3 or reassembl\$3) near10 (cell\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L41	3	(determin\$3 near10 (cell near3 type)) and (asynchronous transfer mode) and (AAL2 or AAL-2) and (AAL5 or AAL-5) and (SAR.u/c.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55

L42	3	(assembl\$3 or reassembl\$3) near10 (AAL2 or AAL-2) and (AAL5 or AAL-5) near10 (realtime or real time or on the fly or instantly or instantaneous\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L43	16123	(370/351,389,392,365.1,395.6,395.3,395.43).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/04/23 15:55
L44	15691	determin\$3 near6 (ATM or AAL or AAL2 or AAL5 or cell near2 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L45	393	L44 and L23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L46	570	(parallel near5 (process\$3 or modul\$3 or operat\$3)) and (ATM. u/c. or asynchronous transfer mode) same (real time or realtime or on the fly)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L47	112	L46 and ((segmentation near reassembly) or SAR.u/c.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55

L48	31	L47 and (AAL2 and AAL5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L49	184	((segmentation near reassembly) or (SAR.u/c.)) same (real time or realtime or on the fly) and (process\$3 with (parallel or simultaneous\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L50	138	L49 not (synthetic aperture radar)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L51	37	L50 and (SAR.u/c. or (segmentation near reassembly)) with (real time or realtime or on the fly)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L52	34	L51 and (buffer or FIFO.u/c. or cache or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L53	1	(SAR.u/c. or (segmentation near reassembly)) same (real time or realtime) same ((parallel near\$5 (process\$3)) or simultaneous \$2) same (AAL2 same AAL5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55

L54	2	(SAR.u/c. or (segmentation near reassembly)) same (real time or realtime) same ((parallel near5 (process\$3)) or simultaneous \$2) and (AAL2 same AAL5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L55	21	(SAR.u/c. or (segmentation near reassembly)) same (real time or realtime) and ((parallel or simultaneous\$2) near3 (process\$3 or reassembl\$3)) and (AAL2 same AAL5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L56	15691	determin\$3 near6 (ATM or AAL or AAL2 or AAL5 or cell near2 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L57	0	L56 and (segement\$5 near reassembl\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L58	2355	L56 and (asynchronous transfer mode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L59	735	L58 and (adaptation layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55

L60	117	L59 and (AAL2 or AAL-2) and (AAL5 or AAL-5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L61	3	(determin\$3 near10 (cell near3 type)) and (segmentation near2 reassembly) and (asynchronous transfer mode) and (AAL2 or AAL-2) and (AAL5 or AAL-5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L62	5	(determin\$3 near10 (cell near3 type)) and (asynchronous transfer mode) and (AAL2 or AAL-2) and (AAL5 or AAL-5) and (assembl\$3 or reassembl\$3) near10 (cell\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L63	3	(determin\$3 near10 (cell near3 type)) and (asynchronous transfer mode) and (AAL2 or AAL-2) and (AAL5 or AAL-5) and (SAR.w/c.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L64	3	(assembl\$3 or reassembl\$3) near10 (AAL2 or AAL-2) and (AAL5 or AAL-5) near10 (realtime or real time or on the fly or instantly or instantaneous\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L65	16123	(370/351,389,392,365.1,395.6,395.3,395.43).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/04/23 15:55

L66	15691	determin\$3 near6 (ATM or AAL or AAL2 or AAL5 or cell near2 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L67	393	L66 and L65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/04/23 15:55
L68	16123	(370/351,389,392,365.1,395.6,395.3,395.43).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/04/23 15:55
L69	13	parallel with (process\$3 or analy\$4 or determin\$3) with (AAL or atm adaptation layer) with ATM	US-PGPUB; USPAT; FPRS; EPO; JPO	ADJ	ON	2010/04/23 15:55
L70	3	parallel with (process\$3 or analy\$4 or determin\$3) with (cell near3 type) with ATM	US-PGPUB; USPAT; FPRS; EPO; JPO	ADJ	ON	2010/04/23 15:55
L71	33	(realtime or real time or on the fly) with (process\$3 or assembl\$3 or reassembl\$3) with (AAL or atm adaptation layer)	US-PGPUB; USPAT; FPRS; EPO; JPO	ADJ	ON	2010/04/23 15:55
L72	17	(realtime or real time or on the fly) with (process\$3 or assembl\$3 or reassembl\$3) with (AAL5 or atm adaptation layer "5")	US-PGPUB; USPAT; FPRS; EPO; JPO	ADJ	ON	2010/04/23 15:55
L73	764	((circular or cyclic or ring) buffer\$1) and (ATM.u/c. or asynchronous transfer mode\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55
L74	72	L73 and L23	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55

L75	19791	(SAR.u/c. or segmentation\$1 near2 reassembl\$3)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55
L76	14	L75 and L74	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55
L77	13031	((ircular or cyclic or ring) buffer\$1)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55
L78	101526	(ATM.u/c. or asynchronous transfer mode\$1)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55
L79	3180	(L78 adj adaptation layer ("2" or "5")) or AAL2 or AAL5	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55
L80	61	L77 and L79	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55
L81	12	L80 and L23	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55

L82	562	(L78 adj adaptation layer ("2" and "5")) or (AAL2 and AAL5)	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55
L83	7	L82 and L77	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55
L84	16123	(370/351,389,392,365.1,395.6,395.3,395.43).OCLS.	US-PGRUB; USPAT; USOCR; FFRS; EPO; JPO	OR	OFF	2010/04/23 15:55
L85	764	((circular or cyclic or ring) buffer\$1) and (ATM.u/c. or asynchronous transfer mode\$1)	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55
L86	72	L85 and L84	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55
L87	13031	((circular or cyclic or ring) buffer\$1)	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55
L88	101526	(ATM.u/c. or asynchronous transfer mode\$1)	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55

L89	3180	(L88 adj adaptation layer ("2" or "5")) or AAL2 or AAL5	US-PGRUB; USPAT; FPPS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55
L90	61	L87 and L89	US-PGRUB; USPAT; FPPS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55
L91	562	(L88 adj adaptation layer ("2" and "5")) or (AAL2 and AAL5)	US-PGRUB; USPAT; FPPS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55
L92	7	L91 and L87	US-PGRUB; USPAT; FPPS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55
L93	13031	(circular or cyclic or ring) buffer\$1	US-PGRUB; USPAT; FPPS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55
L94	19791	(sar.u/c. or segmentation near2 reassembl\$3)	US-PGRUB; USPAT; FPPS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55
L95	27	L94 same L93	US-PGRUB; USPAT; FPPS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55

L96	281	(memor\$3 or fifo\$1 or buffer\$1) same (index\$2) same (VCI.u/c. or VPI.u/c. or CID.u/c.)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55
L97	1	L96 and L95	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55
L98	1	L93 same L96	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55
L99	23	L93 and L96	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55
L100	14	L99 and L94	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55
L101	561	aal2 and aal5	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55
L102	496	aal2 same aal5	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55

L103	1	L100 and L102	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55
L104	1	L100 and L101	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55
L105	9	(determin\$3) with (AAL5) with (AAL2)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55
L106	2	(vpi.u/c. with vci.u/c. with cid.u/c.) same (CAM.u/c. or content address\$4 memor\$3)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 15:55
L107	85	(index\$3 or entr\$3 or item\$1) near7 (database\$1 or list\$1 or cam.u/c. or content addressable memor\$3 or table\$1) same (VPI.u/c. or virtual path identif\$7) same (VCI.u/c. or virtual circuit identif\$7) same (CID.u/c. or channel identif\$7)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 16:19
L108	16	107 and 168	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 16:20
L109	0	(index\$3 or entr\$3 or item\$1) near7 (database\$1 or list\$1 or cam.u/c. or content addressable memor\$3 or table\$1) same (VPI.u/c. or virtual path identif\$7) same (VCI.u/c. or virtual circuit identif\$7) same (CID.u/c. or channel identif\$7) same (AAL.u/c. or atm adaptation layer\$1) near5 (type\$1 or kind\$1)	US-PGRUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/04/23 16:25

L110	1	(index\$3 or entr\$3 or item\$1) near7 (database\$1 or list\$1 or cam.u/c. or content addressable memor\$3 or table\$1) same (VPI.u/c. or virtual path identif\$7) same (VCI.u/c. or virtual circuit identif\$7) same (CID.u/c. or channel identif\$7) same (AAL.u/c. or atm adaptation layer\$1)	US-PGPUB; USPAT; FPPS; EPC; JPC; DERWENT; BM_TDB	ADJ	OFF	2010/04/23 16:26
------	---	---	--	-----	-----	---------------------

4/23/2010 4:27:23 PM

C:\Documents and Settings\calia\My Documents\EAST\Workspaces\10791117-1.wsp